


LP-VR707ASHLF5510BK VersaLine 7000 Series 19 inch wide, 1U Height, Vented and Adjustable Depth Shelf from 550 to 1000 mm and 100 lb (45.36 Kg) of weight carrying capacity in black color.

LPVR707ASHLF5510BK_SS_ENB01W

Features

- For Cabinet, ServerRack, or OR (open rack) systems. Can also work with most of Wall Mount Cabinets.
- Offers a simple way to install non rack mountable equipment into a server Standard 19" inch Rack Mounted.
- 1U height
- Supports up to 100 lb (45.36 Kg) of rack-mount equipment.
- Weight: 3.3 lb (1.5 kg).
- Easy deployment.
- Cold Rolled Steel construction for superior durability and stability.
- For mounting standard networking equipment.
- Conforms to EIA - 310D.
- Durable powder epoxy coating.
- Venting holes for better air flow.
- Underside central strength member for improved weight handling.
- Green Compliant, RoHS Compliant.



LP-VR707ASHLF5510BK
VersaLine 19 inch wide, 7000 Series, 1U Height,
Vented and Adjustable Depth Shelf from 550 to
1000 mm and 100 lb (45.36 Kg) of weight carrying
capacity in black color.

The **VersaLine** Shelf 19in is a Vented Adjustable Depth Sliding Server Rack Cabinet Shelf that offers a simple way to install non rack mountable equipment into a OR, (OpenRack) unit (any brand), server cabinet (any brand), network cabinet or open server rack. Increase peripheral and equipment accessibility with this vented sliding cabinet shelf. With a weight capacity of up to 100 lb (45.36 Kg), the sliding rack shelf features a ventilated, cold-rolled steel shelf on two locking adjustable rails which allow the shelf to be installed into cabinets or racks with mounting depths from 521 to 1000 mm (traditional models are limited to 750 mm only). The unit is strong and safe thanks to the use of a structural strength member in the underside of the shelf. Cheap models do not provide this strength member, making them prone to failure and bending. **LanPro's VersaLine** is backed by our worldwide warranty.

A Applications


Server rooms or other locations where telecomm and networking equipment need to be housed.



B Specifications

Shelf Type	19 Inch Wide Adjustable depth Shelf
Height	1U
Depth	Adjustable from 20.53 in (521.4mm) to 39.53 in (1004.00mm)
Front Access Type	Open
Industry Standards	DIN41491 Part I
	DIN41491 Part VII
	EIA RS310-D
	GB/T3047.2-92
Performance	
Weight Capacity	100 lb (45.36 Kg)
Physical Characteristics	
Color	Black
Internal Width	17.52 in (445 mm)
External Width	18.90 in (480 mm)
External Height	1.73 in (44 mm)
External Depth	39.53 in (1004 mm)
Product Weight	3.3 lb (1.5 kg)
Packaging Information	
Flat Pack	Yes
Shipping (Package) Weight	4.41 lb (2.0 kg)
Shipping Dimensions (HWD/in)	27x 20
Shipping Dimensions (HWD/mm)	685.8 x 508

C Dimensional Drawings



D How to Order

LP-VR707ASHLF5510BK VersaLine 19 inch wide, 7000 Series, 1U Height, Vented and Adjustable Depth Shelf from 550 to 1000 mm and 100 lb (45.36 Kg) of weight carrying capacity in black color.

LanPro is continuously improving its products and reserves the right to change specifications and availability without prior notice.