

LP-F2152WH002

Fiber optic 2 ports small enclosure for FTTH Distribution

LPF2152WH002_SS_ENB01W

Features

- Material: ABS plastic.
- Color: White, other color under request.
- 2 SC simplex adapter ports.
- With Mini Rotary splice tray for 4 fibers splicing.
- Wall mounted or desktop application.





LP-F2152WH002

Fiber optic 2 ports small enclosure for FTTH Distribution

A Specification

| Parameter | Value |
|------------------------|---------------------|
| Outside Dimension | 83.29x105x24.5mm |
| Material | ABS plastic |
| Color | White |
| Adapter ports | 2 ports |
| Splice capacity | 4 fibers |
| Adaptor type and count | SC, 2SC |
| Application | Indoor wall mounted |

B Dimensional Drawing



C Accessories

| Name | Specification | Qty |
|---|------------------|-----------------------|
| Fiber optic heat shrinkable protection sleeve | 45mm x 3.0 x 1.5 | As per using capacity |
| Cable tie | 3mm x 80mm white | 3 pcs |
| Plastic expansion pipe | Φ6mm white | 2 pcs |
| Screws | C type 4 x 25 | 2 pcs |

D How to Order

LP-F2152WH002 Fiber optic 2 ports small enclosure for FTTH Distribution